



Lumber Grading Chart

Grade	Trade Name	Minimum Board Length	Minimum Board Width	Minimum Cutting Size	Minimum Area of Clear Cuttings Required
First & Seconds	FAS	8'	6'	4" x 5' - 3" x 7'	83-1/3%
FAS 1-Face	F1F	8'	6'	4" x 5' - 3" x 7'	83-1/3%
Select	SEL	6'	4'	4" x 5' - 3" x 7'	83-1/3%
No. 1 Common	1C	4'	3'	4" x 2' - 3" x 3'	66-2/3%
No. 2A Common	2AC	4'	3'	3" x 2'	50%
No. 2B Common	2BC	4'	3'	3" x 2'	50%